

### Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

#### Listing of Claims:

1. (Currently Amended) A digital image processing method for aligning in vivo images from multiple passes of a gastrointestinal tract to aid in diagnosing gastrointestinal disease, comprising the steps of:

- a) conducting multiple passes of in vivo imaging within the gastrointestinal tract;
- b) forming a registration bundle of metadata for each of the multiple passes;
- c) identifying features of an in vivo image using digital image processing that enable diagnosis of the gastrointestinal disease;
- d) automatically selecting possible image features of an in vivo image from the registration bundle, associated with one pass, using algorithmic classification; and
- e) retrieving a global index and an anatomical index and computing local travel distance based on said global index and said anatomical index; and
- e) f) retrieving corresponding images in a neighborhood of said computed local travel distance from another pass based on prior selection of the possible image features.

2. (Original) The digital image processing method claimed in claim 1, wherein forming a registration bundle of metadata, includes the steps of:

- b1) retrieving an anatomical identity label associated with the gastrointestinal tract;
- b2) retrieving a global index label corresponding to each in vivo imaging pass;
- b3) retrieving a local index label with respect to a specific anatomical section within the gastrointestinal tract;

b4) calculating global travel distance within the gastrointestinal tract;

b5) forming at least one registration bundle from information in steps b1-b4; and

b6) forming a registration bundle from the at least one registration bundle, wherein the at least one registration bundle includes at least a combination of the anatomical identity label, the global index label, the local index label, and the global travel distance.

3. (Original) The digital image processing method claimed in claim 1, wherein selection of the possible indexed features includes the step of selecting an in vivo image using a global index.

4. (Original) The digital image processing method claimed in claim 1, wherein selection of the possible indexed features includes the step of selecting an in vivo image by browsing a plurality of images.

5. (Original) The digital image processing method claimed in claim 1, wherein selection of the possible indexed features includes the step of selecting an in vivo image using an anatomical identity and a local index.

6. (Currently Amended) A digital image processing method for aligning in vivo images from multiple passes of a gastrointestinal tract to aid in diagnosing gastrointestinal disease, comprising the steps of:

a) conducting multiple passes of in vivo imaging within the gastrointestinal tract;

b) forming a registration bundle of metadata for each of the multiple passes;

c) identifying features of an in vivo image using digital image processing that enable diagnosis of the gastrointestinal disease;

d) automatically selecting possible image features of an in vivo image from the registration bundle, associated with one pass, using algorithmic classification;

e) retrieving corresponding images from another pass based on prior selection of the possible image features;

wherein selection of the possible indexed features includes the step of selecting an in vivo image using a global index;

~~The digital image processing method claimed in claim 3,~~  
wherein retrieving corresponding images from another pass based on prior selection of the in vivo image using the global index further includes the steps of:

- d1) retrieving anatomical identity based on a global index;
- d2) computing a local travel distance using a global travel distance and the anatomical identity;
- d3) locating images corresponding to the anatomical identity; and
- d4) locating a set of images in a neighborhood of computed local travel distance.

7. (Currently Amended) A digital image processing method for aligning in vivo images from multiple passes of a gastrointestinal tract to aid in diagnosing gastrointestinal disease, comprising the steps of:

a) conducting multiple passes of in vivo imaging within the gastrointestinal tract;

b) forming a registration bundle of metadata for each of the multiple passes;

c) identifying features of an in vivo image using digital image processing that enable diagnosis of the gastrointestinal disease;

d) automatically selecting possible image features of an in vivo image from the registration bundle, associated with one pass, using algorithmic classification;

e) retrieving corresponding images from another pass based on prior selection of the possible image features;

wherein selection of the possible indexed features includes the step of selecting an in vivo image by browsing a plurality of images;

~~The digital image processing method claimed in claim 4, wherein~~  
retrieving corresponding images from another pass based on prior selection of the  
possible indexed features further includes the steps of:

- d1) retrieving a global index;
- d2) retrieving anatomical identity based on the global  
index;
- d3) computing a local travel distance using a global travel  
distance and the anatomical identity;
- d4) locating images corresponding to the anatomical  
identity; and
- d5) locating a set of images in a neighborhood of  
computed local travel distance.

8. (Currently Amended) A digital image processing method for  
aligning in vivo images from multiple passes of a gastrointestinal tract to aid in  
diagnosing gastrointestinal disease, comprising the steps of:

- a) conducting multiple passes of in vivo imaging within the  
gastrointestinal tract;
- b) forming a registration bundle of metadata for each of the  
multiple passes;
- c) identifying features of an in vivo image using digital image  
processing that enable diagnosis of the gastrointestinal disease;
- d) automatically selecting possible image features of an in vivo  
image from the registration bundle, associated with one pass, using algorithmic  
classification; and
- e) retrieving corresponding images from another pass based on  
prior selection of the possible image features.

wherein selection of the possible indexed features includes the step  
of selecting an in vivo image using an anatomical identity and a local index;

~~The digital image processing method claimed in claim 5, wherein~~  
retrieving corresponding image) from another pass based on prior selection of the  
possible indexed features further includes the steps of:

- d1) computing a local travel distance using a global travel distance and the anatomical identity;
- d2) locating images corresponding to the anatomical identity; and
- d3) locating a set of images in a neighborhood of computed local travel distance.

9. (Currently Amended) An in vivo imaging alignment and processing system, comprising:

- a) an image alignment processor for selecting and retrieving possible indexed features of a plurality of in vivo images from multiple image capturing passes, wherein the possible indexed features enable one to correctly align the plurality of in vivo images from multiple image capturing passes according to images captured at substantially similar positions in a gastrointestinal tract based on a computed local travel distance based on a global index and an anatomical index, and images in a neighborhood of said computed local travel distance;
  - b) a template source for detecting in vivo images that indicate a diseased gastrointestinal tract and sending the in vivo images to the image alignment processor;
  - c) a display for displaying a plurality of aligned in vivo images;
  - d) a means for transmitting the plurality of in vivo images;
  - e) a means for storing metadata associated with the plurality of in vivo images;
  - f) a means for communicating selected in vivo images across a network;
  - g) a means for outputting the plurality of aligned in vivo images;
- and
- h) a user interactive means for inputting and/or controlling the metadata and/or the plurality of in vivo images.